

SAFETY DATA SHEET

11561 Westminster Ave Garden Grove, CA 92843

Office: 714-554-8880 Fax: 714-554-8887 US Hazmat Emergency: 800-373-7542 Intl Hazmat Emergency: +1-484-951-2432

SECTION 1. IDENTIFICATION

Brand: Cre8tion

Trade Name: Nail Tip Glue

Product Number: 22141

Address: 11561 Westminster Ave, Garden Grove, CA 92843

SECTION 2. HAZARDS IDENTIFICATION



WARNING

Harmful If Swallowed, Absorbed Through Skin or Inhaled.

Do Not Spray. Do Not Heat.

May Cause Allergic Skin Reaction.

Causes Eye, Skin and Respiratory Tract Irritation Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects

Bonds skin and eyes in seconds. Keep out of reach of children.

May cause sensitization with skin contact. Irritating to eyes, respiratory system and skin.

Flammability: Medium (2) Health: Medium (2) Reactivity: Medium (2)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

INCI NAME	CAS	%
Cyanoacrylate	7085-85-0	90-100

SECTION 4. FIRST AID MEASURES

Inhalation: Remove to fresh air. Prolonged or repeated exposure at elevated levels may produce allergic reactions with asthma-like symptoms in sensitive individuals.

Skin contact: Immerse bonded areas in warm, soapy water. Peel or roll skin apart. Remove cured adhesive with several applications of warm, soapy water. Prolonged or repeated contact at elevated levels may cause dermatitis in sensitive individuals.

SECTION 4. FIRST AID MEASURES (cont.)

Eye contact: Flush areas of contact with plenty of running water ensuring, were possible, that the eyelids are kept open. Adhesive will disassociate from eye/eyelids over time, usually within several hours. Temporary weeping of eyes/double vision may be experienced until clearance is achieved.

Ingestion: Do not induce vomiting. Keep individual calm. Lips may become stuck together: apply copious amounts of warm water & encourage wetting/pressure from saliva inside mouth. Peel or roll (do not pull) lips apart. It is almost impossible to swallow cyanoacrylate as adhesive solidifies upon contact with saliva & may adhere to inside of mouth. Saliva will lift adhesive in 1-2 days, avoid swallowing adhesive after detachment.

SECTION 5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Flush with large amounts of water or dry chemical extinguisher. With water contact, material reacts to hardened mass. During fire fighting, fumes may be irritating if not burning and require air supply with goggles. Combustion will produce carbon dioxide, carbon dioxide, oxides of nitrogen and probably hydrogen cyanide.

Product polymerized by water, alcohol, amines, alkaline materials and direct UV

SECTION 6. ACCIDENTAL RELEASE MEASURES

SPILL CLEAN-UP METHODS: Polymerize with water. Solid material may be scraped from surface.

SECTION 7. HANDLING AND STORAGE

Handling: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use with adequate ventilation. Avoid breathing vapor and avoid contact with eyes/skin. Handle and open container with care. Point container away from face and body when opening. Avoid contact with clothing as can cause burn.

Storage: Avoid moisture, direct UV-sunlight and do not store above 25 C (77 F). Keep containers closed tightly when not in use. Ideal storage: 5-10 C (41-50 F).

Incompatible products: Refer to Section 10.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTION: Polyethylene or polypropylene gloves for prolonged or repeated contact.

VENTILATION: Use with adequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid
Appearance	Clear
Odor	Stimulative odor
Solubility in water	Polymerizes to hard mass
Specific Gravity (Water=1)	1.05
Melting Point (C)	NE (not established)
Boiling Point (C)	185
Viscosity (cps)	Nominal 40
pH Value	NE
Evaporation Rate (BuAc=1)	<1
Vapor Pressure @ 24C (mm Hg)	-0.2mm
Flash Point (C)/method	85/TCC
Vapor Density (Air=1)	NE
Flammability Limit	Lower: NE % Upper: NE %

SECTION 10. STABILITY AND REACTIVITY

STABILITY: Stable up to 50 C (122 F).

Ideal storage: 5-10 C (41-50 F). Avoid excessive heat above 80C (176 F). Polymerized by water, alcohol, amines, alkaline materials and direct UV.

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion will produce carbon dioxide, carbon dioxide, oxides of nitrogen and probably hydrogen cyanide.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute exposure with prolonged or repeated contact with eyes/skin at elevated levels may produce allergic reactions (asthma-like symptoms), dermatitis or sensitization in sensitive individuals.

No known residual effects of acute properties. Fumes irritate eyes and mucous membranes.

SECTION 12. ECOLOGICAL INFORMATION

No known ecological effects of polymerized product.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: Polymerize product with water. Solid material may be scraped from surface. Incinerate solid combustible waste or dump as chemical waste according to Local Authority requirements via a licensed waste contractor.

SECTION 14. TRANSPORT INFORMATION

Proper shipping name: not regulated

UN/Air/Sea/Rail: unrestricted

SECTION 15. REGULATORY INFORMATION



LABEL FOR SUPPLY: X (irritant)

RISK PHRASES: R-36/37/38 Irritating to eyes, respiratory system and skin.

SAFETY PHRASES: S24/25 Avoid contact with skin and eyes. S26 In case of contact with eyes, rinse immediately with plenty of water & seek medical advice. S46* If swallowed seek medical advice immediately and show this container label. S51 Use only in well ventilated area.

SPECIAL LABELLING PHRASE*: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

* Obligatory Safety Phrases for labeling.

SECTION 16. OTHER INFORMATION

-This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

DISCLAIMER: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising from using the above information.