

# SAFETY DATA SHEET

Office: 714-554-8880 Fax: 714-554-8887 US Hazmat Emergency: 800-373-7542 Intl Hazmat Emergency: +1-484-951-2432

## **SECTION 1. IDENTIFICATION**

Brand: Hami

Trade Name: Lash Remover Gel 15ml

Product Number: 04612 - Lash Remover Gel

Address: 11561 Westminster Ave, Garden Grove, CA 92843

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

Appearance: colorless liquid

#### **Potential Health Effects**

Eye: May cause eye irritation. Skin: May cause skin irritation. Ingestion: May cause digestive tract disturbances. The toxicological properties of this substance have not been fully investigated. May be harmful if swallowed. Inhalation: May cause respiratory tract irritation. The toxicological properties of this substance have not been fully investigated. Chronic: No information found.

#### WARNING

Harmful If Swallowed or Inhaled. Do Not Spray. Do Not Heat. May Cause Allergic Skin Reaction. Causes Eye, Skin and Respiratory Tract Irritation

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

INCI NAME	CAS	%
4-Methyl-dioxolan- 2-one	108-32-7	20
2-Oxetanone	57-57-8	50
Brij-78	9005-00-9	5
Brij-52	9004-95-9	5
Polyethyleneglycol	25322-68-3	10
Vinyl Polymer	9003-01-04	1
Sodium Stearate	822-16-2	6
Methyl Parabene	99-76-3	0.3
Propyl Parabene	94-13-3	0.3
Collagen	9064-67-9	4
Fragrance	N/A	0.4
Pigment	N/A	1

# **SECTION 4. FIRST AID MEASURES**

**Eyes:** Flush eyes with plenty of water.

Skin: Flush skin with plenty of soap and water.

Ingestion: If victim is conscious and alert, give 2-4 cupsful of milk or water.

Never give anything by mouth to an unconscious person. Get medical aid immediately.

**Inhalation:** Get medical aid immediately. Remove from exposure to fresh air immediately. if not breathing, give artificial respiration. if breathing is difficult, give oxygen.

Notes to Physician: Treat symptomatically and supportively.

Antidote: None reported.

## **SECTION 5. FIRE-FIGHTING MEASURES**

General Information: As in any fire, wear a self-contained breathing apparatus in pressure demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Extinguishing Media: In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam.

Flash Point: 135 deg C Auto ignition Temperature: 455 deg C (851.00 deg F) Explosion Limits, Lower:3.60 vol % Upper: 16.00 vol % NFPA Rating: (estimated) Health: 1; Flammability: 1; Instability: 0

## SECTION 6. ACCIDENTAL RELEASE MEASURES

General Information: Use proper personal protective equipment as indicated in Section 8.

**Spills/Leaks:** Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. Provide ventilation.

## **SECTION 7. HANDLING AND STORAGE**

**Handling:** Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation.

**Storage:** Keep container closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep containers tightly closed. Store protected from moisture.

## **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering Controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or other engineering control airborne levels.

#### **Exposure Limits:**

ACGIH: none listed

NIOSH: none listed

OSHA: none listed

#### **Personal Protective Equipment**

Eyes: Wear appropriate Protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Appearance: Colorless Odor: Mild Caramel odor pH: Not available. Vapor Pressure: 1.5hPa @ 20C Vapor Density: 3.0 Evaporation Rate: Not available. Viscosity: Not available. Viscosity: Not available. Boiling Point :90 deg C Freezing/Melting Point: -45 deg C Decomposition Temperature: Not available. Solubility: Miscible. Specific Gravity/Density: 1.1200g/cm3 Molecular Formula: C4H602 Molecular Weight: 86.09

# SECTION 10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Incompatible materials, strong oxidarits.

**Incompatibilities with Other Materials:** Strong oxidizing agents - strong acids - strong bases - strong reducing agents.

Hazardous Decomposition Products: Carbon monoxide, irritating and toxic fumes and gases, carbon dioxide.

Hazardous Polymerization: Has not been reported.

# SECTION 11. TOXICOLOGICAL INFORMATION

#### LD50/LC50:

Dermal, guinea pig: LD 50 => 5gm/kg; Draize test, rabbit, skin: 400 uL Severe: Inhalation, rat :LC50 =>5100 mg/m3/4H; Oral, mouse: LD50 = 1460mg/kg; Oral, rat: LD50=1540 mg/kg.

Carcinogenicity: Butyrolactone-IARC: Group 3 carcinogen Epidemiology: No information available. Teratogenicity: No information available. Reproductive Effects: No information available. Neurotoxicity: No information available. Mutagenicity: No information available. Other Studies: None reported.

## SECTION 12. ECOLOGICAL INFORMATION

Ecological information: Not available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

### **SECTION 14. TRANSPORT INFORMATION**

No information available.

## SECTION 15. REGULATORY INFORMATION

Regulations of the European union (Labelling) / National legislation/Regulations

EC-Number: 202-509-5

as in Annex VI of Directive 67/548/EEC:

Hazard symbol(s) Xn Harmful.

R-phrase(s)R22 Harmful if swallowed.R41 Risk of serious damage to eyes.

S-phrase(s)S39 Wear eye/face protection.S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

The labelling is based on our own experience.

Hazard determinant component(s) for labelling: GAMMA-BUTYROLACTONE Other regulations: None

## **SECTION 16. OTHER INFORMATION**

Recommended use: fragrances, flavors, formulation agent, wood preservative, solvent(s), resin bound foundry cores, initial product for chemical syntheses

Recommended use: auxiliary, finishing agent

Recommended use: additives

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

DISCLAIMER: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising from using the above information.